

ใบรับรองเลขที่ I2013/0028



ใบรับรองระบบงานหน่วยตรวจ

อาศัยอำนาจตามความในพระราชบัญญัติการมาตรฐานแห่งชาติ พ.ศ. ๒๕๕๑

เลขานุการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

ออกใบรับรองฉบับนี้ให้

สถาบันนิติวิทยาศาสตร์ กองตรวจพิสูจน์ทางวิทยาศาสตร์

๑๒๐ สถาบันนิติวิทยาศาสตร์ ศูนย์ราชการเฉลิมพระเกียรติฯ อาคารรัฐประศาสนภักดี ชั้น ๘ และ ๙
ถนนแจ้งวัฒนะ หมู่ที่ ๓ แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร

ได้รับการรับรองระบบงานหน่วยตรวจประเภท C

ตามข้อกำหนดการตรวจสอบและรับรอง – ข้อกำหนดสำหรับหน่วยตรวจ
มาตรฐานเลขที่ มอก. 17020-2556 (ISO/IEC 17020 : 2012)

หมายเลขการรับรองที่ หน่วยตรวจ 0028

โดยมีสาขาและขอบข่ายการรับรองระบบงานตามรายละเอียดแนบท้ายใบรับรอง

ตั้งแต่วันที่ ๙ ธันวาคม พ.ศ. ๒๕๖๓

ถึง วันที่ ๘ ธันวาคม พ.ศ. ๒๕๖๖

ออกให้ ณ วันที่ ๒๕ ธ.ค. ๒๕๖๓

นางนพ

(นางกมลวรรณ จำเริญวัฒน์)

รองเลขาธิการ ปฏิบัติราชการแทน

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

ออกให้ครั้งแรกเมื่อวันที่ ๑๓ พฤศจิกายน พ.ศ. ๒๕๖๐

กระทรวงอุตสาหกรรม สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม



รายละเอียดแนบท้ายใบรับรองระบบงานหน่วยตรวจ
ใบรับรองเลขที่ I2013/0028

ชื่อหน่วยตรวจ : สถาบันนิติวิทยาศาสตร์ กองตรวจพิสูจน์ทางวิทยาศาสตร์
กลุ่มตรวจพิสูจน์ลายพิมพ์นิ้วมือ

ที่ตั้งสถานประกอบการของหน่วยตรวจและข้อมูลติดต่อ

ที่ตั้งสำนักงานใหญ่

120 สถาบันนิติวิทยาศาสตร์ ศูนย์ราชการเฉลิมพระเกียรติฯ

อาคารรัฐประศาสนภักดี ชั้น 8 ถนนแจ้งวัฒนะ หมู่ที่ 3

แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร

ที่ตั้งสำนักงานสาขา (กรณีแตกต่างจากที่ตั้งสำนักงานใหญ่)

เลขที่ 499 อาคารสุขประพฤติ ชั้น 18 ถนนประชาชื่น เขตบางซื่อ

กรุงเทพมหานคร

หมายเลขการรับรอง : หน่วยตรวจ 0028

ประเภทของหน่วยตรวจ : ประเภท C

หมวดหมู่ / สาขาการตรวจ	ขั้นตอนและช่วงการตรวจ	ข้อกำหนดที่ใช้
1. การตรวจพิสูจน์ลายนิ้วมือ ฝ่ามือ และฝ่าเท้าแฝง	- การตรวจพิสูจน์หารอยลายนิ้วมือ ฝ่ามือ และฝ่าเท้าแฝงบนวัตถุ พยาน - การตรวจพิสูจน์จุดลักษณะสำคัญ พิเศษของลายนิ้วมือ ฝ่ามือ และ ฝ่าเท้าแฝง - การตรวจพิสูจน์ลายนิ้วมือ ฝ่ามือ และฝ่าเท้าแฝงกับลายพิมพ์นิ้วมือ ฝ่ามือ และฝ่าเท้าตัวอย่าง เพื่อ ยืนยันตัวบุคคล	- เอกสารระเบียบปฏิบัติงาน เรื่อง การตรวจ รอยประทับของลายเส้นนูนบนผิวหนัง : PR-AFP-001 - เอกสารวิธีการปฏิบัติงาน เรื่อง การตรวจเก็บ ลายเส้นนูนบนผิวหนัง (Friction Ridges) ด้วยวิธีทางเคมีและวิธีการทางเครื่องมือ : WI- AFP-001 - เอกสารวิธีการปฏิบัติงาน เรื่อง การตรวจ เปรียบเทียบรอยประทับของลายเส้นนูน บนผิวหนัง : WI-AFP-007

รายละเอียดแนบท้ายใบรับรองระบบงานหน่วยตรวจ
ใบรับรองเลขที่ I2013/0028

ชื่อหน่วยตรวจ : สถาบันนิติวิทยาศาสตร์ กองตรวจพิสูจน์ทางวิทยาศาสตร์
กลุ่มตรวจพิสูจน์พยานเอกสาร

ที่ตั้งสถานประกอบการของหน่วยตรวจและข้อมูลติดต่อ

ที่ตั้งสำนักงานใหญ่

120 สถาบันนิติวิทยาศาสตร์ ศูนย์ราชการเฉลิมพระเกียรติฯ

อาคารรัฐประศาสนภักดี ชั้น 8 และ 9 ถนนแจ้งวัฒนะ

หมู่ที่ 3 แขวงทุ่งสองห้อง เขตหลักสี่ กรุงเทพมหานคร

ที่ตั้งสำนักงานสาขา (กรณีแตกต่างจากที่ตั้งสำนักงานใหญ่)

.....

.....

หมายเลขการรับรอง : หน่วยตรวจ 0028

ประเภทของหน่วยตรวจ : ประเภท C

หมวดหมู่ / สาขาการตรวจ	ขั้นตอนและช่วงการตรวจ	ข้อกำหนดที่ใช้
2. การตรวจพิสูจน์พยานเอกสาร และการปลอมแปลง	- การตรวจพิสูจน์ลายมือเขียนและลายมือชื่อ - การตรวจพิสูจน์เอกสารปลอมแปลงและแก้ไข ไม่ครอบคลุมการตรวจพิสูจน์ทางเคมี - การตรวจพิสูจน์รอยกดบนกระดาษ - การตรวจพิสูจน์รอยตราประทับ	- ระเบียบปฏิบัติงาน เรื่อง การตรวจพิสูจน์พยานเอกสาร : PR-DOC-001 - วิธีการปฏิบัติงาน เรื่อง การตรวจพิสูจน์ลายมือเขียนและลายมือชื่อ : WI-DOC-001 - วิธีการปฏิบัติงาน เรื่อง การตรวจพิสูจน์เอกสารปลอมแปลง : WI-DOC-004 - วิธีการปฏิบัติงาน เรื่อง การตรวจพิสูจน์รอยกด : WI-DOC-016 - วิธีการปฏิบัติงาน เรื่อง การตรวจพิสูจน์รอยตราประทับ : WI-DOC-015

ตั้งแต่ วันที่ 9 ธันวาคม พ.ศ. 2563

ถึง วันที่ 8 ธันวาคม พ.ศ. 2566

ออกให้ ณ วันที่ ๒๕ ธ.ค. ๒๕๖๓

นางกมลวรรณ

(นางกมลวรรณ จำเริญวัฒน์)

รองเลขาธิการ ปฏิบัติราชการแทน

เลขาธิการสำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม

Certificate No. I2013/0028



Certificate of Inspection Body Accreditation

By virtue of National Standardization Act B.E.2551 (2008)

Secretary-General, Thai Industrial Standards Institute

Issue this Certificate for

Central Institute of Forensic Science, Division of Forensic Investigation,
120 The Government Complex Commemorating His Majesty the King's 80th Birthday
Anniversary 5th, Rattaprasasanabhakti Building 8th- 9th floor,
Chaeng Watthana Road, Moo 3, Thung Song Hong, Lak Si, Bangkok

Is accredited according to Inspection Body Type C

Conformity assessment – Requirements for the operation of various types
of bodies performing inspection

TIS 17020 – 2556 (ISO/IEC 17020 : 2012)

Accreditation No. INSPECTION 0028

The scope of accreditation is as annexed hereto

Valid from 9th December 2020

Until 8th December 2023

Issue Date 25th December 2020

(Mrs. Kamonwan Chamlerdwat)

Deputy Secretary – General

For Secretary – General

Thai Industrial Standards Institute

Date of Initial Issue: 13th November 2017

Ministry of Industry, Thai Industrial Standards Institute



Scope of Accreditation for Inspection Body

Certificate No. I2013/0028

Name of Inspection Body : Central Institute of Forensic Science, Division of Forensic Investigation,
Fingerprint Identification Section

Addresses and contact details

Head office or primary location

120 The Government Complex Commemorating
His Majesty the King's 80th Birthday Anniversary
5th, Rattaprasasanabhkati Building 8th floor, Chaeng
Watthana Road, Moo 3, Thung Song Hong, Lak Si,
Bangkok

Additional Locations (If different from Head Office)

499 Sukpraput Building, 18th floor, Pracha Chuen Road,
Bang Sue, Bangkok

Accreditation No. : INSPECTION 0028

Type of Inspection Body : Type C

Category / Field of Inspection	Stage and Range of Inspection	Inspection Requirements or Criteria
1. Fingerprint, Palmprint and Footprint Identification	- Developing Latent Fingerprints, Latent Palmprints and Latent Footprints on Evidence - Identifying a number of Minutiae of Latent Fingerprints, Latent Palmprints and Latent Footprints - Comparing Latent Prints for Identification purpose	- Procedure for Examining Friction Ridges Skin Impression (PR-AFP-001) - Work Instruction for Developing Friction Ridges Skin Impression with Chemical and Instrumental Techniques (WI-AFP-001) - Work Instruction for Comparison of Friction Ridges Skin Impression (WI-AFP-007) 

Scope of Accreditation for Inspection Body

Certificate No. I2013/0028

Name of Inspection Body : Central Institute of Forensic Science, Division of Forensic Investigation,
Forensic Document Examination Section

Addresses and contact details

Head office or primary location

120 The Government Complex Commemorating
His Majesty the King's 80th Birthday Anniversary
5th, Rattaprasasanabhkati Building 8th- 9th floor,
Chaeng Watthana Road,
Moo 3, Thung Song Hong, Lak Si, Bangkok

Additional Locations (If different from Head Office)

.....
.....

Accreditation No. : INSPECTION 0028

Type of Inspection Body : Type C

Category / Field of Inspection	Stage and Range of Inspection	Inspection Requirements or Criteria
2. Forensic Document Examination	- Handwriting and Signature Examination - Examination of Questioned Documents (not include chemical examination method) - Indentation Examination on Paper - Impression Examination	- Procedure for Forensic Document Examination (PR-DOC-001) - Work Instruction for Handwriting and Signature Examination (WI-DOC-001) - Work Instruction for the Examination of Questioned Documents (WI-DOC-004) - Work Instruction for Indentation Examination (WI-DOC-016) - Work Instruction for Impression Examination (WI-DOC-015)

Valid from : 9th December 2020

Until : 8th December 2023

Issue Date : 25th December 2020



(Mrs. Kamonwan Chamlerdwat)

Deputy Secretary – General

For Secretary – General

Thai Industrial Standards Institute

Ministry of Industry, Thai Industrial Standards Institute